


AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:


LISTING OF CLAIMS:

1. (original): A phenyloxylaniline derivative represented by formula (1):



wherein X^1 and X^2 are same or different and each is a hydrogen atom or a halogen atom;
 R^1 and R^2 are same or different and each is a hydrogen atom, an alkyl group having 1 to 10 carbon(s) or a halogen-substituted alkyl group having 1 to 10 carbon(s); and R^3 is a halogen-substituted alkyl group having 1 to 5 carbon(s), or a radioisotope thereof.

2. (currently amended): A phenyloxylaniline derivative represented by formula (2):



(2)

wherein X¹ is a hydrogen atom or a halogen atom; R¹ and R² are same or different and each is a hydrogen atom, an alkyl group having 1 to 10 carbon(s) or a halogen-substituted alkyl group having 1 to 10 carbon(s); and R³ is a halogen-substituted alkyl group having 1 to 5 carbon(s)), or a radioisotope thereof.

3. (original): The phenyloxylaniline derivative or a radioisotope thereof according to claim 1 or 2, wherein the halogen atom is a fluorine atom, an iodine atom or a bromine atom.

4. (currently amended): A method of labeling a peripheral benzodiazepine receptor use of comprising contacting a specimen containing the peripheral benzodiazepine receptor with the phenyloxylaniline derivative or a radioisotope thereof described in any of claims 1 to 3 of claim 1 or 2 as a peripheral benzodiazepine receptor labeling ligand.

5. (new): A method of labeling a peripheral benzodiazepine receptor comprising contacting a specimen containing the peripheral benzodiazepine receptor with the phenyloxylaniline derivative or a radioisotope thereof of claim 3.

6. (new): A method of labeling a peripheral benzodiazepine receptor comprising administering to a subject an effective amount of the phenyloxyaniline derivative or a radioisotope thereof of claim 1 or 2.

7. (new): A method of labeling a peripheral benzodiazepine receptor comprising administering to a subject an effective amount of the phenyloxyaniline derivative or a radioisotope thereof of claim 3.